



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

States will be notified, and these provisions will be enforced wherever she seeks to enter. Promptly inform Bureau as to destination vessel if she departs.

The steamship *Basil* left Liverpool January 19 for Para, Brazil. Arrived at Para February 11 for Manaos. Left Para March 1 for Galveston. Reports received by the Public Health and Marine-Hospital Bureau show 57 deaths from yellow fever at Para from July 1, 1906, to February 23, 1907. Yellow fever was not reported at Manaos in 1906. In 1905, 8 cases and 7 deaths were reported from July 30 to August 12.

March 20. All quarantine officers on the Gulf and Atlantic coast were informed that Para is a port considered infected with both yellow fever and bubonic plague.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Los Angeles*.—Month of February, 1907. Estimated population, 250,000. Total number of deaths reported 356, including diphtheria 3, enteric fever 4, whooping cough 1, and 77 from tuberculosis. Cases of contagious diseases reported: Diphtheria 36, enteric fever 6, scarlet fever 18, smallpox 4, and tuberculosis 34.

Oakland.—Month of January, 1907. Estimated population, 200,000. Total number of deaths, 215, including diphtheria 1, enteric fever 4, and 23 from tuberculosis. Cases of contagious diseases reported: Diphtheria 28, enteric fever 18, measles 19, scarlet fever 11, and tuberculosis 4. Month of February, 1907. Total number of deaths, 153, including enteric fever 3 and 14 from tuberculosis. Cases of contagious diseases reported: Diphtheria 15, enteric fever 19, measles 10, scarlet fever 11, and tuberculosis 6.

Stockton.—Month of February, 1907. Estimated population, 23,000. Total number of deaths, 20, including 3 from tuberculosis. Cases of contagious diseases not reported.

CONNECTICUT.—Month of February, 1907. Reports to the State board of health from 164 towns, having an aggregate population of 999,924, show as follows: Total number of deaths from all causes, 1,509, including diphtheria 28, enteric fever 6, measles 2, scarlet fever 7, whooping cough 14, and 128 from phthisis pulmonalis. Cases of contagious diseases were reported as follows: Diphtheria, 102 in 37 towns; enteric fever, 22 in 11 towns; measles, 157 in 24 towns; scarlet fever, 144 in 33 towns; whooping cough, 106 in 20 towns, and phthisis pulmonalis, 47 in 22 towns.

Hartford.—Month of February, 1907. Estimated population, 98,000. Health department reports as follows: Total number of deaths, 130 (23 nonresidents), including enteric fever 1, and 11 from tuberculosis. Cases of contagious diseases reported: Enteric fever 6, diphtheria 11, measles 3, scarlet fever 14, tuberculosis 4.

FLORIDA.—Reports to the State board of health for the week ended March 9, 1907, show as follows: Diphtheria—*Tampa*, 1 case. Enteric fever—*Arcadia*, 4 cases; *Jacksonville*, 7 cases; *Ocala*, 2 cases; *Tampa*, 4 cases. Smallpox—*Tampa*, 1 case. Tuberculosis—*Jacksonville*, 3 cases; *Ocala*, 1 case; *Sanford*, 1 case.

IOWA—*Burlington*.—Month of February, 1907. Estimated population, 25,000. Total number of deaths, 30, including 1 from tuberculosis. Four cases of scarlet fever and 1 case of smallpox reported.

Keokuk.—Month of February, 1907. Estimated population, 16,000. Total number of deaths, 27, including 4 from tuberculosis.

Ottumwa.—Month of February, 1907. Estimated population, 23,000. Health department reports as follows: Total number of deaths, 20, including scarlet fever 1 and 5 from tuberculosis. Cases of contagious diseases reported: Diphtheria 4, scarlet fever 9, smallpox 2, whooping cough 12, and tuberculosis 7.

KANSAS—*Lawrence*.—Month of February, 1907. Estimated population, 14,000. Total number of deaths, 6, including 3 from diphtheria. Cases of contagious diseases reported: Diphtheria 5 and smallpox 1.

KENTUCKY—*Lexington*.—Two weeks ended March 9, 1907. Estimated population, 45,000. Total number of deaths, 14, including 2 from tuberculosis. Cases of contagious diseases reported: Measles 3, scarlet fever 1, and whooping cough 1.

LOUISIANA—*New Orleans*.—Month of February, 1907. Estimated population, 341,000 (251,000 white, 90,000 colored). Total number of deaths, 728 (467 white, 261 colored), including diphtheria 4 (white), enteric fever 14 (10 white, 4 colored), measles 10 (9 white, 1 colored), scarlet fever 1 (white), smallpox 1 (colored), whooping cough 5 (4 white, 1 colored), and 112 from tuberculosis, of which 57 were white and 55 colored. The death rate per 1,000 population per annum for the month was: White, 22.32; colored, 34.80. Total white and colored, 25.62.

MASSACHUSETTS.—Reports from the State board of health for the month of January, 1907, show as follows: Week ended January 5, 1907. Forty-three cities and towns, having an aggregate estimated population of 2,224,764. Total number of deaths, 805, including diphtheria 16, enteric fever 5, measles 4, and 66 from phthisis pulmonalis. Cases: Diphtheria 311, enteric fever 52, measles 120, scarlet fever 201, tuberculosis 141. Week ended January 12, 1907. Number of localities reporting, 43. Estimated population, 2,201,213. Total number of deaths, 786; diphtheria 20, enteric fever 7, measles 2, phthisis pulmonalis 68. Cases: Diphtheria 250, enteric fever 17, measles 79, scarlet fever 655, whooping cough 6, tuberculosis 64. Week ended January 19, 1907. Number of localities reporting, 45. Estimated population, 2,258,605. Total number of deaths, 785;

diphtheria 9, enteric fever 8, phthisis pulmonalis 69. Cases: Diphtheria 246, enteric fever 29, measles 33, scarlet fever 378, tuberculosis 90. Week ended January 26, 1907. Number of localities reporting, 43. Estimated population, 2,199,696. Total number of deaths, 751; diphtheria 9, enteric fever 3, phthisis pulmonalis 61. Cases: Diphtheria 206, enteric fever 14, measles 72, scarlet fever 192, whooping cough 4, tuberculosis 59.

MICHIGAN—*Ann Arbor*.—Month of February, 1907. Estimated population, 20,000. Total number of deaths, 23, including whooping cough 1, and 3 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 2, enteric fever 4, measles 2, scarlet fever 2, whooping cough 3, and phthisis pulmonalis 6.

NEW HAMPSHIRE—*Manchester*.—Month of February, 1907. Estimated population, 65,000. Total number of deaths reported, 102, including diphtheria 4, whooping cough 2, and 8 from tuberculosis. Cases of contagious diseases reported: Diphtheria 17, measles 1.

NEW JERSEY—*Hasbrouck Heights*.—Year ended December 31, 1906. Estimated population, 2,200. Total number of deaths, 12, including 3 from tuberculosis.

Paterson.—Month of February, 1907. Estimated population, 114,009. Total number of deaths, 178, including diphtheria 4, whooping cough 1, and 18 from tuberculosis. Cases of contagious diseases reported: Diphtheria 25, enteric fever 1, scarlet fever 21, and tuberculosis 12.

West Hoboken.—Two weeks ended March 9, 1907. Estimated population, 30,000. No deaths reported. Cases of contagious diseases reported: Diphtheria 5, enteric fever 3, measles 2, and scarlet fever 1.

NEW YORK.—Month of January, 1907. Estimated population, 8,331,075. Reports to the State department of health show as follows: Total number of deaths, 13,620, corresponding to an annual death rate of 19.6 per 1,000 of the population, includes enteric fever 122, measles 53, scarlet fever 66, smallpox 1, whooping cough 68, diphtheria 283, and 1,235 from phthisis pulmonalis.

Buffalo.—Month of February, 1907. Estimated population, 400,000. Total number of deaths, 546, including diphtheria 2, enteric fever 4, measles 4, whooping cough 6, and 43 from tuberculosis. Cases of contagious diseases reported: Diphtheria 31, enteric fever 14, measles 328, scarlet fever 61, whooping cough 48, and tuberculosis 52.

Ithaca.—Month of December, 1906. Estimated population, 15,000. Total number of deaths not reported. Seventeen cases of diphtheria and 1 of scarlet fever reported. Month of January, 1907. Twenty-two cases of diphtheria and 8 of scarlet fever reported. Month of February, 1907. One death from diphtheria reported. Cases of

contagious diseases reported: Diphtheria 37, enteric fever 1, and scarlet fever 2. Two weeks ended March 15, 1907. One death from diphtheria reported. Eight cases of diphtheria and 2 of scarlet fever reported.

Troy.—Month of February, 1907. Estimated population, 76,861. Total number of deaths, 159, including diphtheria 1, enteric fever 3, whooping cough 1, and 26 from tuberculosis. Cases of contagious diseases reported: Diphtheria 5, enteric fever 8, whooping cough 13, and tuberculosis 40.

Watertown.—Month of February, 1907. Estimated population, 29,000. Total number of deaths, 52, including diphtheria 2 and 2 from tuberculosis.

NORTH CAROLINA.—Month of January, 1907. Estimated population, 1,893,810. Reports to State board of health from 75 counties show as follows: Measles in 34 counties, whooping cough in 21 counties, scarlet fever in 13 counties, diphtheria in 16 counties, enteric fever in 18 counties, malarial fever in 4 counties, pernicious malarial fever in 1 county, hemorrhagic malarial fever in 3 counties, and smallpox in 23 counties, viz, Alamance 6, Anson 3, Ashe 4, Bertie 1, Catawba 1, Chatham 6, Cumberland 1, Durham 55, Franklin 7, Gaston 4, Guilford 2, Halifax 2, Hertford 10, Johnson 3, Jones 1, Northampton 1, Randolph 9, Richmond 5, Rutherford 4, Union 1, Vance 1, Wake 88, and Wayne 4 cases.

Reports for the month from 20 towns having an aggregate population of 184,700—white, 113,450; colored, 71,250—show a total of 242 deaths—white, 112; colored, 130—including diphtheria 5, enteric fever 1, measles 2, whooping cough 1, and 34 from phthisis pulmonalis.

NORTH DAKOTA.—Month of January, 1907. Reports to the State board of health from 39 counties show as follows: Total number of deaths, 144, including diphtheria 2, enteric fever 4, measles 2, scarlet fever 1, smallpox 1, whooping cough 2, and 13 from tuberculosis. Cases of contagious diseases reported: Diphtheria 31, enteric fever 19, measles 18, scarlet fever 26, smallpox 36, whooping cough 28, and tuberculosis 14.

OHIO—*Springfield*.—Month of February, 1907. Estimated population, 45,000. Total number of deaths 44, including diphtheria 1, and 7 from tuberculosis. Cases of contagious diseases reported: Diphtheria 3, measles 35, and scarlet fever 3.

PENNSYLVANIA—*Butler*.—Month of February, 1907. Total number of deaths, 25, including enteric fever 1 and 1 from tuberculosis. Cases of contagious diseases reported: Diphtheria 1, scarlet fever 2.

Pottsville.—Year ended December 31, 1906. Estimated population, 19,500. Total number of deaths, 333, including diphtheria 1, enteric fever 8, and tuberculosis 13. Cases of contagious diseases

reported: Diphtheria 39, enteric fever 34, measles 62, scarlet fever 19, and whooping cough 7. Month of January, 1907. Total number of deaths, 37. One case each of diphtheria, enteric fever, and measles reported. Month of February, 1907. Total number of deaths, 35, including diphtheria 1 and 1 from enteric fever. Cases of contagious diseases reported: Diphtheria 4, enteric fever 2, and scarlet fever 1.

SOUTH CAROLINA—*Charleston*.—Month of February, 1907. Estimated population, 65,000. Total number of deaths, 120, including enteric fever 2, whooping cough 2, and 22 from tuberculosis. Cases of contagious diseases reported: Enteric fever 4, scarlet fever 1.

UTAH—*Salt Lake City*.—Month of February, 1907. Estimated population, 75,000. Total deaths from all causes, 105, including diphtheria 15, enteric fever 1, and 3 from tuberculosis. Cases of contagious diseases reported: Diphtheria 41, enteric fever 3, measles 3, scarlet fever 6, and whooping cough 1.

VERMONT.—Cases of contagious diseases reported to the State board of health from 14 counties from December 1, 1906, to February 20, 1907, are as follows: Diphtheria 157, enteric fever 64, measles 27, scarlet fever 63, and whooping cough 653.

WISCONSIN.—Reports to the State board of health show as follows: Month of October, 1906. Seventy-two cities and towns in 42 counties report: Diphtheria, 272 cases, 23 deaths; enteric fever, 159 cases, 11 deaths; measles, 3 cases, no deaths; scarlet fever, 60 cases, 1 death; smallpox, 19 cases, no deaths; whooping cough, 129 cases, 2 deaths; phthisis pulmonalis, 79 cases, 44 deaths.

Month of November, 1906. Eighty-six cities and towns in 43 counties report: Diphtheria, 255 cases, 21 deaths; enteric fever, 119 cases, 10 deaths; measles, 14 cases, 2 deaths; scarlet fever, 97 cases, 4 deaths; smallpox, 135 cases, no deaths; whooping cough, 82 cases, 2 deaths; phthisis pulmonalis, 62 cases, 43 deaths.

Month of December, 1906. Ninety-five cities and towns in 45 counties report: Diphtheria, 252 cases, 26 deaths; enteric fever, 69 cases, 3 deaths; measles, 48 cases, no deaths; scarlet fever, 84 cases, 2 deaths; smallpox, 195 cases, no deaths; whooping cough, 58 cases, 2 deaths; phthisis pulmonalis, 50 cases, 26 deaths.

Milwaukee.—Month of January, 1907. Estimated population, 350,000. Total number of deaths, 439, including diphtheria 12, enteric fever 16, scarlet fever 1, whooping cough 2, and 36 from tuberculosis. Cases of contagious diseases reported: Diphtheria 78, enteric fever 59, measles 14, scarlet fever 16, smallpox 19, and tuberculosis 61.